


MR-040
SMART TOUCH
CONTROL TV MIRROR

Catalog #		Prepared by	LiteHarbor
Project		Date	
Notes			



MIRROR LIGHT

Features

TV Mirror, it is a silver mirror as the ordinary mirror when turn off the TV, when it open, is a HD TV.

Energy saving highlighting 2835 SMD LED light source, color temperature (2700 K to 6500 K).

Product is thin and firm structure, anti-fog, explosion-proof, energy-saving, beautiful appearance, safe and reliable, convenient installation and easy maintenance.

Product size options: W24" x H36", W36" x H36", W42" x H42", W48" x H36", W60" x H36";

The TV size options: 10.1", 19", 21.5", 32", 42", and provide customized large size option.

Touch switch, sensor switch, rocker switch, time display, fog-resistant energy saving system temperature sensor.

Dimming: None Dimming

Listing: ETL Listed.

Waterproof degree: IP44

Application: High-end hotel rooms, model room, villa, boutique apartment, SPA, leisure clubs, gym, kitchen, hair salon, etc.

Mirror

Using 5 mm or 6 mm silver glass mirror, edge grinding process, can effectively prevent the glass black spots greatly improve product service life. Special diamond screen protection, wear resistance, scratch-resistant, panel temperature balance processing, anti-fog, moistureproof.

TV

Using imported high brightness, high-definition, TFT LCD panel, perfect visual enjoyment.



Liteharbor Lighting Technology Co., Ltd.
New Industry Area Hecun Danzao Town
Nanhai Foshan City Guangdong China

TEL: +86-757-8180 8675
FAX: +86-757-8180 8685
E-mail: info@liteharbor.com

Website: www.liteharbor.com
Specifications subject to change w/o notice
Revision: November. 2017



16:9 HD screen, clear and stable dynamic image, 178 ° ultra wide angle, full screen broadcast image and video broadcast content are available in U disk, SD card and exterior storing device automatic import or network connection. Built-in waterproof loudspeaker, power can be up to 5 W * 2, 12 V low voltage DC input, safe, convenient, perfect to enjoy hearing. Ultra-thin multi-functional waterproof full function infrared remote control.

Driver

Independent isolation constant current driver, high power factor optional.
Constant current design is high reliability and stable performance, start fast.
Wide voltage design, available voltage is 120V-277V.
The product meets the requirements of safety and electromagnetic compatibility.

Specification

Input Power	24W
Input Voltage	120V/120-277V
Frequency	60Hz
Power Factor	PF>0.85
Dimming	NONE

After-sales service

Machine warranty provisions (national standard)
In addition to the human nature and irresistible reasons, all warranty for one year (tube for three years)
Can be replaced a new one if have fault within 7 days
If damage 3 times under warranty or cannot fix within 10days,
can replace a new one unconditional, and re-open the purchase order.
If users open the TV casing to repair is without warranty.
Only charges components fee after warranty.
Arrive in 24 hours after required repair, will fix within three days (warranty time need negotiate)
With the stamp warranty card inside the packaging, go to the local designated maintenance station
to have after-sales maintenance services.

Notes:

1. To ensure normal working of the product, please make sure that the voltage using is within the indicated voltage range.
2. Please follow the correct method to install and use this product.
3. Disconnect the power supply when installing and removing the product to avoid the risk of electric shock.



Liteharbor Lighting Technology Co., Ltd.

New Industry Area Hecun Danzao Town
Nanhai Foshan City Guangdong China

TEL: +86-757-8180 8675

FAX: +86-757-8180 8685

E-mail: info@liteharbor.com

Website: www.liteharbor.com

Specifications subject to change w/o notice

Revision: November. 2017

4. Do not look at the LED light source for a long time; high-intensity light source may cause eye damage.

5. When you find the following questions, please consult with a qualified electrician for repair service.

Do not disassemble yourself:

A. When the product produces stench gas, abnormal sound, or unusual flicker.

B. When the shell is damaged, the foreign body intrudes inside.

6. The parameters in this specification may be modifying according to product update.



MIRROR LIGHT



Liteharbor Lighting Technology Co., Ltd.
New Industry Area Hecun Danzao Town
Nanhai Foshan City Guangdong China

TEL: +86-757-8180 8675
FAX: +86-757-8180 8685
E-mail: info@liteharbor.com

Website: www.liteharbor.com
Specifications subject to change w/o notice
Revision: November. 2017